

MILD THUNDER

DEFINITION

Fine, delicate rubbing compound, designed for both preparation and finishing stages, delivering maximum gloss and color depth.

Specifically formulated for clearcoats that are not yet fully cured.

CHARACTERISTICS

- Base: O/W aqueous emulsion
- Appearance: Creamy liquid
- Color: White, black
- Density: 1.02 g/cm³ ± 0.03

APPLICATION

MILD THUNDER as a finishing compound:

1. THUNDER CUT with wool pad 86777T – Rotary polisher
2. MILD THUNDER yellow honeycomb pad 86751/125 – Rotary polisher
3. MILD THUNDER white pad 86OTRB – Random Orbital polisher

MILD THUNDER for coatings not yet fully cured:

Solution 1: MILD THUNDER as a preparation and finishing rubbing compound – 2 steps

1. MILD THUNDER with wool pad 86777T – Rotary polisher
2. MILD THUNDER green pad 86OTRV – Random Orbital polisher

Solution 2: MILD THUNDER as a preparation and finishing rubbing compound – 2 steps

1. MILD THUNDER with wool pad 86777T – Rotary polisher
2. MILD THUNDER white honeycomb pad 86753/125 – Rotary polisher

To achieve even greater depth, perform an additional third pass in cycles 2–3 using MILD THUNDER with white pad 86OTRB and a random orbital polisher.

At the end of each step, degrease the surface with a gold microfiber cloth code 48340 in combination with DEFENDER CLEANER code 45790.

Use a microfiber cloth type code 48370 (orange) or type code 48340 (gold) to dry and remove residues.

STORAGE

Store in a cool, dry environment, protected from direct sunlight, and at temperatures between 5°C and 35°C.

The effectiveness of our products is based on practical experiences and research work carried out in our laboratories; nevertheless we accept no liability for work carried out following our instructions being clear that the final result depends in all cases on a series of unforeseeable factors.

* For any information about product codes or packs, please see our catalogue, our price list or contact us.